

## 5<sup>th</sup> World Congress on Cancer Therapy

September 28-30, 2015 Atlanta, USA

## The relevance of some molecular markers in recurrent pancreatic cancer: Focusing on CA 19-9 and cytokeratins

Alin Ciobica<sup>4</sup>, Daniel Timofte<sup>1</sup>, Vasile Bintintan<sup>2</sup>, Valeriu Surlin<sup>3</sup>, Emil Anton<sup>1</sup> and Mihaela Blaj<sup>1</sup>

<sup>1</sup>University of Medicine and Pharmacy "Gr.T.Popa" lasi, Romania

<sup>2</sup>University of Medicine and Pharmacy of Cluj, Romania

<sup>3</sup>University of Medicine and Pharmacy of Craiova, Romania <sup>4</sup>Alexandru Ioan Cuza" University, Iasi, Romania

Lately it is generally believed that the incidence of pancreatic neoplasm has increased exponentially all over the world, Land especially in the last decade, by even becoming the fifth cause of death by cancer. However, the vast majority of the patients present to the clinic in the advanced unresectable stages, while significant risk factors for pancreatic cancer are still insufficiently studied. In addition, when it comes to the recurrence of the pancreatic cancer, there are also many unknowns regarding the mechanisms and the factors which are implicated. In this way, in this report we want it to make a concise description and analysis for the relevance of some molecular factors in recurrent pancreatic cancer, by mainly focusing on CA19-9 and cytokeratins, besides the other classical clinical factors which are relevant in the diagnostic of the pancreatic cancer recurrence.

alinmimi@yahoo.com

Notes: