

Antibiotic Susceptibility Pattern of *Salmonella* Isolated from Enteric Fever Suspected Patients

Bijayata Shrestha

HAMS Hospital, Dhumbarahi, Kathmandu, Nepal

Abstract

Background: Enteric fever is one of the most common diseases encountered worldwide and is endemic in Nepal. This study was conducted to access antibiotic susceptibility pattern of *Salmonella* isolates from culture positive cases of enteric fever.

Methods: Altogether 505 blood samples were collected from patients clinically suspected of enteric fever attending HAMS Hospital. All blood samples were cultured by BACTEC method and sub cultured in blood agar and MacConkey agar plates. All isolates were identified by colony characteristics, biochemical tests and serotyping methods. Antibiotic susceptibility test was performed by modified Kirby Bauer disc diffusion method interpreted with CLSI guideline.

Result: Isolation rate of *Salmonella* species was 3.6%. Among 18 *Salmonella* isolates, 10 were *S. typhi*, 8 were *S. paratyphi* A. The prevalence rate of infection was high among the age group 11-20 years (50%) and among the male patients. However, there was no significant association of enteric fever with gender of patients ($p=2.47$). All 18 isolates were sensitive to Amoxicillin, Azithromycin, Ceftriaxone and Chloramphenicol, Ciprofloxacin and Ofloxacin. Majority of isolates were sensitive to Cefixime (94.4%), Cotrimoxazole (94.4%) and Cephalexin (90%). There were no any MDR isolates. Higher percentage of isolates was resistant to Nalidixic acid (87.5%).

Conclusion: The decreased susceptibility to Fluroquinolones of *S. typhi* and *S. Paratyphi* A can be correlated with resistance to Nalidixic acid. Commonly used third generation Cephalosporins and rolled back first line drugs be the choice in case of NARS isolates.

Undergraduate degree in Medical Laboratory Technology (BMLT) from Rajiv Gandhi University of Health Sciences, India. She is currently designated as in-charge of Pathology department in the Hospital and her duties and responsibilities include QC analysis, laboratory report authorization and staff duty roster maintenance. Besides, She is also working as a lecturer to PCL Nursing students in HAMS Nursing College since 2010 A.D.



49th [World Congress on Microbiology](#); Webinar- June 15-16, 2020.

Abstract Citation:

Bijayata Shrestha, Antibiotic Susceptibility Pattern of *Salmonella* Isolated from Enteric Fever Suspected Patients, Microbiology 2020, 49th World Congress on Microbiology; Webinar- June 15-16, 2020.

(<https://europe.microbiologyconferences.com/abstract/2020/antibiotic-susceptibility-pattern-of-salmonella-isolated-from-enteric-fever-suspected-patients>)



Biography:

Bijayata Shrestha completed her master's degree in microbiology (Medical) at the age of 28 years from Tribhuvan University, Nepal. She started working in HAMS hospital, Kathmandu, Nepal in 2009 A.D. right after completing her