

# Forest fires and soil loss: A threat to biodiversity

Jaime Senabre

University of Alicante, Spain E-mail:jasenabre@sinif.es

## Abstract

Society doesn't appear to be privy to the poor outcomes that wooded area fires have at the soil, whose degradation can end up irreversible in lots of cases. The soil is one of the essential factors for lifestyles on Earth and that isn't given due attention. In the identical way, withinside the research on wooded area fires the movement of the herbal dangers in territories laid low with wooded area fires and the affect of those withinside the lack of soil are little taken into account. A figuring out component of plant productiveness is the great of the soil, a confined aid this is effortlessly destroyed, now no longer handiest through the occurrence of fires, however through the climatic and meteorological situations to which the place laid low with hearthplace may be subjected: Torrential rains, floods, droughts, severe temperatures, sturdy winds which could intensify the lack of vitamins and erosion. According to records acquired from a survey at the notion of threat through herbal phenomena completed with the Spanish population (n=1223), 67.54% of the respondents assume that they stay in a place threatened through a few herbal phenomenon and 73.02% imply that at a few second in his lifestyles, a few herbal catastrophe has befallen that has broken the network wherein he lives.

In this line, some other look at performed with the aid of using our studies organization offers us with applicable facts at the frequency belief of woodland fires in Spain (n=1068), wherein 58.52% of the populace claim to go through the effect of woodland fires every year, 5.34% each 10 years or extra and 3.46% never. Given those findings on threat belief and primarily based totally on real prevalence facts, it's miles viable to prepare, now no longer handiest woodland hearthplace threat maps, however additionally threat maps of herbal risks to narrate them, a good way to set up the capability threat of lack of soil and the viable hazard to biodiversity, primarily based totally, mainly, at the discovered adjustments in hearthplace and herbal catastrophe regimes.

In this line, some other look at performed with the aid of using our studies organization offers us with applicable facts at the frequency belief of woodland fires in Spain (n=1068), wherein 58.52% of the populace claim to go through the effect of woodland fires every year, 5.34% each 10 years or extra and 3.46% never. Given those findings on threat belief and primarily based totally on real prevalence facts, it's miles viable to prepare, now no longer handiest woodland hearthplace threat maps, however additionally threat maps of herbal risks to narrate them, a good way to set up the capability threat of lack of soil and the viable hazard to biodiversity, primarily based totally, mainly, at the discovered adjustments in hearthplace and herbal catastrophe regimes.

Among numerous provinces in Indonesia, Riau Province ranks first in wooded area and land fires occurrences indicated via way of means of the very best hotspot range located withinside the province because the remaining decades (determine 1). It is observed via way of means of Central Kalimantan, West Kalimantan, South Sumatera, and Jambi Provinces. In the remaining 5 years period (2010-2015), wooded area and land fires in Indonesia appear to growth significantly, which reached the height in 2015. The large haze influences from wooded area and land fires clusters in Riau, South Sumatera and Jambi had implied to countrywide catastrophe popularity of the 3 provinces. Thousands of human beings had been suffering from air pollutants produced via way of means of the fire occurrences, in time period of fitness circumstance and day by day sports together with training and working.

**This work is partly presented at 7th International Conference on Biodiversity Conservation and Ecosystem Management, July 26-27, 2018 Melbourne, Australia**