Short Communication Open Access

Non Traumatic Brachiocephalic Pseudo Aneurysm

Ori Galante*, Fuchs Lior and Yaniv Almog

Medical Intensive Care Unit, Soroka University Medical Center, Ben Gurion University of the Negev, Beer-Sheva, Israel

Tetralogy of Fallot (TOF) is a constellation of cardiac abnormalities including: pulmonary artery stenosis, concentric hypertrophy of the right ventricle, a large ventricular septal defect (VSD) and aorta that is overrides the VSD [1].

Blalock and Taussig first reported their successes in a palliative surgery for TOF in 1945 [2]. This procedure, bearing their name, in its classic or modified version-using a Gortex graft tube instead of the Subclavian artery, is still being used today even though intra cardiac repair is now the procedure of choice.

Pseudo aneurysm arising from the origin of the Blalock Taussig (BT) shunt is a rare yet serious late complication of this procedure. It usually manifests weeks to months after the initial surgery as a mass effect compressing the adjunct organs or as massive hemoptysis [3,4]. Surgical correction is the preferred intervention in a child with this dreaded complication [3,4]. We previously reported an unprecedented case of an adult who was treated as a child for TOF by modified BT shunt that presented years later with an acute pseudo aneurysm–SVC fistula resulting in physiologic superior vena cava syndrome [5].

Brachiocephalic artery pseudo aneurysm is not a common entity. Mostly it is the result of blunt trauma to the chest [6]. Non traumatic etiologies include infections and complications of aortic dissection. Rarely, it may be a late and at times chronic complication of vascular surgery or even endovascular intervention [5,7].

Clinical presentation is often related to mediastinal mass effect, hemoptysis, or as we have recently described, a fistula formation. Given the rarity of this entity, a high index of clinical suspicion is needed for diagnosis.

Treatment can be either surgical or endovascular [8,9]. In chronic and heavily calcified pseudo aneurysm, intravascular stenting seems to be the procedure of choice. Due to its rarity this specific topic is poorly studied and further long term studies are needed.

References

- Brickner ME, Hillis LD, Lange RA (2000) Congenital heart disease in adults. Second of two parts. N Engl J Med 342: 334-342.
- Blalock A, Taussig HB (1945) Surgical treatment of malformations of the heart: In which there is pulmonary stenosis or pulmonary atresia. Am J Med 128: 189-202.
- Parvathy U, Balakrishnan KR, Ranjith MS, Moorthy JSN (2002) False Aneurysm Following Modified Blalock

 –Taussig Shunt. Pediatr Cardiol 23: 178-181.
- Valliattu J, Jairaj P, Delamie T, Subramanyam R, Menon S, et al. (1994) False aneurysm following modified Blalock-Taussig shunt. Thorax 49: 383-384.
- Galante O, Grinberg G, Sandro G, Almog Y (2015) Brachiocephalic pseudoaneurysm and superior vena cava fistula in an adult with a Blalock-Taussig shunt. Intensive Care Med 41: 1123-1124.
- Hirose H, Gill IS (2004) Blunt injury of the innominate artery: a case report and review of literature. Ann Thorac Cardiovasc Surg 10: 218-223.
- Rispoli P, Varetto G, Savia FM, Rinaldi M (2008) Large post-stenting innominate artery pseudoaneurysm. Interact Cardiovasc Thorac Surg 7: 444-446.
- Mckinley AG, Carrim AT, Robbs JV (2000) Management of proximal axillary and subclavian artery injuries. Br J Surg 87: 79-85.
- Baba Y, Hayashi S, Yamamoto H, Imoto Y, Nakajo M (2013) Endovascular Treatment of Brachiocephalic and Subclavian Arterial Disease. Open Journal of Radiology 3: 7-11.

*Corresponding author: Ori Galante, M.D., Medical Intensive Care Unit, Soroka University Medical Center, P.O. Box 151, Beer-Sheva 84101, Israel, Tel: 972-8-6400640, 050-7577582; Fax: 972-8-6400166; E-mail: ori.galante@gmail.com

Received December 14, 2015; Accepted March 15, 2016; Published March 18, 2016

Citation: Galante O, Lior F, Almog Y (2016) Non Traumatic Brachiocephalic Pseudo Aneurysm. J Pulm Respir Med 6: 327. doi:10.4172/2161-105X.1000327

Copyright: © 2016 Galante O, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.