

Unravelling the Impact of Psychological Variables on Dietary Patterns in Motor Neuron Disease: Insights from Healthcare Professionals

Warif Zaid*

Department of Neuromuscular Medicine, University of New York, New York, USA

Abstract

This suggests that the study is focused on identifying and comprehending the mental and emotional aspects that play a role in influencing nutritional choices and habits in individuals with MND. Psychological factors can include thoughts, emotions, attitudes, and perceptions related to food and eating, this indicates that the study is interested in how these psychological factors affect the dietary choices and eating patterns of people living with MND. It's important to note that MND is a neurodegenerative disease that can impact motor functions, making it relevant to investigate how psychological factors might influence nutritional behaviour in this specific patient population.

Keywords: Motor neuron disease • Healthcare practitioners • Neurodegenerative disease

Introduction

This specifies the medical condition under investigation. Motor Neuron Disease (MND) is a group of neurological disorders that affect the motor neurons in the brain and spinal cord. These conditions can lead to muscle weakness and atrophy, affecting mobility and the ability to swallow, which can have a significant impact on an individual's nutritional status. This indicates that the study seeks information, perspectives, and experiences from healthcare professionals who work with individuals diagnosed with MND. These professionals may include doctors, nurses, dieticians, speech therapists, and other specialists involved in the care of MND patients. This methodological approach implies that the study likely collected qualitative data, such as interviews, surveys, or open-ended questionnaires, from healthcare professionals. Thematic analysis involves systematically identifying, analysing, and reporting patterns (themes) within the data, which helps draw meaningful conclusions and insights from the information gathered [1-3].

Literature Review

The scoping review covers research articles published between January 2000 and July 2016. This period was chosen to focus on relatively recent research within the field of ALS/MND and supportive care needs. The review included articles sourced from several academic databases, including MEDLINE, EMBASE, CINAHL, and the Cochrane database. The statement you provided describes the methodology of a scoping review conducted to gather and synthesize research articles from multiple databases concerning the supportive care needs perspective of individuals with Amyotrophic Lateral Sclerosis (ALS) or (MND) and their caregivers. Medical advantages regularly is estimated as far as QALYs, which represent both the quality and amount

of life lived. These databases are commonly used to access peer-reviewed research articles in the medical and healthcare fields. The population sample included individuals diagnosed with ALS/MND or their caregivers. This defines the target group for the review, ensuring that the articles under consideration were relevant to this population [4].

Gastrostomy tube the abdominal wall to provide nutrition and hydration

A gastrostomy tube is a medical device inserted into the stomach through the abdominal wall to provide nutrition and hydration when a person has difficulty swallowing or eating orally. Participants took varying lengths of time, ranging from days to weeks or even months, to consider whether they wanted to undergo the procedure. This suggests that the decision to have a gastrostomy tube inserted is not taken lightly and involves a thoughtful process. The study noted that lengthy hospital waiting times for the gastrostomy procedure were a factor. This delay in accessing the procedure may influence patients' decision-making and potentially impact their health and nutritional status. Patient perceptions of swallowing difficulties and nutrition were mentioned as factors affecting acceptance of the gastrostomy tube. However, the study suggests that these factors alone may not fully explain the decision to undergo the procedure. Participants also reported other reasons for accepting the gastrostomy tube, such as reducing the burden on caregivers, improving quality of life, gaining independence, continuing to participate in social activities, and regaining a sense of control over their lives. The study observed that 73% of participants opted for gastrostomy tube placement following a recommendation from a medical specialist [5,6].

Discussion

While the Measure technique was assessed to add cost during the underlying 3 years of reception, it was assessed to bring down future expenses and further develop results because of decreased reconnaissance in generally safe patients, and early treatment in high-risk patients more than a 5-year time span. Demographic and disease-related factors contributing to uptake are described. A stepped approach was applied to gain a comprehensive understanding of why people with MND accept or decline gastrostomy. Instruments included standardized assessments, nutrition survey and semi structured interview. Data were collected at three separate appointments, spanning a 3-week period. The decision-making process regarding gastrostomy tube placement in individuals with ALS or a related motor neuron disease is complex and influenced by various factors, including medical recommendations, patient perceptions, disease-related variables, and broader

***Address for Correspondence:** Warif Zaid, Department of Neuromuscular Medicine, University of New York, New York, USA, E-mail: zaid12@edu.in

Copyright: © 2024 Zaid W. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Received: 02 October, 2023, Manuscript No. Cgj-23-118618; **Editor assigned:** 04 October, 2023, Pre QC No. P-118618; **Reviewed:** 18 October, 2023, QC No. Q-118618; **Revised:** 23 October, 2024, Manuscript No. R-118618; **Published:** 30 October, 2024, DOI: 10.37421/2952-8518.2024.9.279

quality-of-life considerations. Understanding these factors can help healthcare professionals provide more personalized and supportive care to patients facing this decision.

Conclusion

Let's break down each dimension of support. This refers to assistance with the practical aspects of daily living, such as help with mobility, transportation, household tasks, and managing the challenges associated with the disease. MND patients and their caregivers require a holistic approach to support that encompasses practical, social, informational, psychological, physical, emotional, and spiritual dimensions. Recognizing and addressing these multifaceted needs is crucial in enhancing the quality of life for those affected by MND and providing comprehensive care. The statement highlights the various dimensions of support that are needed by Amyotrophic Lateral Sclerosis (ALS) or Motor Neuron Disease (MND) patients and their caregivers.

Acknowledgement

We thank the anonymous reviewers for their constructive criticisms of the manuscript. The support from ROMA (Research Optimization and recovery in the Manufacturing industry), of the Research Council of Norway is highly appreciated by the authors.

Conflict of Interest

The authors declare that there was no conflict of interest in the present study.

References

1. Goldstein, L. H., L. Atkins and P. N. Leigh. "Correlates of quality of life in people with Motor Neuron Disease (MND)." *ALS* 3 (2002): 123-129.
2. Palmisano, Brian T., Lin Zhu and John M. Stafford. "Role of estrogens in the regulation of liver lipid metabolism." Sex and gender factors affecting metabolic homeostasis, diabetes and obesity (2017): 227-256.
3. Francis, Kathleen, John R. Bach and Joel A. DeLisa. "Evaluation and rehabilitation of patients with adult motor neuron disease." *Arch Phys Med Rehabil* 80 (1999): 951-963.
4. Schulz, Ralf B. and Wolfhard Semmler. "Principles of optical and fluorescence mediated tomography in turbid media." *Z fur Med Phys* 15 (2017): 177-186.
5. Oh, Juyeon and Jung A. Kim. "Supportive care needs of patients with amyotrophic lateral sclerosis/motor neuron disease and their caregivers: A scoping review." *J Clin Nurs* 26 (2017): 4129-4152.
6. Diaz, Monica M., Xin Hu, Brenda T. Fenton and Ivan Kimuli, et al. "Prevalence of and characteristics associated with in-hospital mortality in a Ugandan neurology ward." *BMC Neurol* 20 (2020): 1-13.

How to cite this article: Zaid, Warif. "Unravelling the Impact of Psychological Variables on Dietary Patterns in Motor Neuron Disease: Insights from Healthcare Professionals." *Clin Gastroenterol J* 9 (2024): 279.